



2103
2735

7449/57723

THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Masatoshi Ueno


Serial No.: 09/403,813

Filed: October 26, 1999

For: CONTROL DEVICE, CONTROL METHOD, INFORMATION PROCESSING APPARATUS, INFORMATION PROCESSING METHOD, COMMUNICATION SYSTEM AND COMPUTER-READABLE MEDIUM

RECEIVED
JUL 19 2000
TC 2700 MAIL ROOM

I hereby certify that this paper is being deposited this date with the U.S. Postal Service in first class mail addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.


Jay H. Maioli
Reg. No. 27,213

March 14, 2000
Date

RECEIVED
JUL 19 2000
Group 2700

March 14, 2000
1185 Avenue of the Americas
New York, NY 10036
(212) 278-0400

LETTER WITH PROPOSED DRAWING CHANGES

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Applicant hereby proposes to amend the drawings as indicated in red on the copies of the drawings submitted herewith. Specifically, it is proposed to amend the following:

Fig. 5, in HEADER BLOCK change "SOUCE" to --SOURCE--;
in DATA BLOCK change "ANOTHE" to --ANOTHER--;

Fig. 7A, in HEADER change "SOUCE" to --SOURCE--;

Fig. 9, in CONTROL BLOCK change "SYCLE" to --CYCLE--;

Fig. 14, fifth column heading change "FORTH" to --FOURTH--;

Fig. 15, Step S56 change "IS NO-USED NODE ID EXISTED?" to
--DOES NON-USED NODE ID EXIST?--;

Fig. 17, Step S82 change "STADYING" to --STUDYING--;
Step S83 change "FORM" to --FROM--;
Step S86 change "DEFALT" to --DEFAULT--;
Step S95 change "DEFALT" to --DEFAULT--;
Step S96 change "FORCE FULLY" to --FORCEFULLY--;

Fig. 19, Step S123 change "COUNTER", first instance to
--COUNT--;

Step S126 change "COUNTER", first instance to
--COUNT--;


Fig. 20, Step S134 change "DAFAULT" to --DEFAULT--.

Upon approval of the herein-proposed drawing changes and the issuance of the Notice of Allowance, Applicant will promptly attend to correcting the formal drawings in accordance with present Patent Office practices.

7449/57723


Respectfully submitted,

COOPER & DUNHAM LLP



Jay H. Maioli
Jay H. Maioli
Reg. No. 27, 213

JHM/SL

FIG. 5




F I G . 3



QPSK	4	4 8	8
16QAM	4	1 0 0	1 6
256QAM	4 BYTES	2 0 4 BYTES	3 2 BYTES
HEADER	USER DATA (IEEE1394)		PARITY

F I G . 7 A




F I G . 7 B

HEADER	USER DATA	HEADER	USER DATA	PARITY
--------	-----------	--------	-----------	--------

F I G . 7 C

HEADER	USER DATA	O DATA	PARITY
--------	-----------	--------	--------

FIG. 9




F I G . 1 4

FOURTH

NODE ID FOR RADIO COMMUNICATION	FIRST STORAGE AREA (USE FLAG)	SECOND STORAGE AREA (FREQUENCY INFORMATION)	THIRD STORAGE AREA (MONITORING COUNTER)	FOURTH STORAGE AREA (DELAYING COUNTER)
0 0 1	1	1 1 (HIGH)	0	c
0 1 0	1	1 0 (NOMAL)	a	0
0 1 1	1	0 0 (LOW)	b	0
1 0 0	0	0 0	0	0
1 0 1	0	0 0	0	0
1 1 0	0	0 0	0	0
1 1 1	1	1 0		

F I G . 1 6



F I G . 1 5






FIG. 17



F I G . 1 9



F I G . 2 0

